

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	((flow with control\$5 with hub) same memory same status same index\$5 same (updat\$5 with status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 16:45
S2	2	((flow\$3 with control\$5 with device) same memory same status same index\$5 same (updat\$5 with status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 16:45
S3	0	((flow with control\$5 with hub) same memory same status same index\$5 same (updat\$5 with status)) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 16:45
S4	2	((flow\$3 with control\$5) same memory same status same index\$5 same (updat\$5 with status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 16:45
S5	5	((flow\$3 with control\$5) same stor\$5 same status same index\$5 same (updat\$5 with status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 16:46
S6	3	((flow\$3 with control\$5) same stor\$5 same status same index\$5 same (updat\$5 with status)) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 16:49
S7	28	((flow\$3 with control\$5) same stor\$5 same status same index\$5 same (flow\$5 with status)) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 16:51
S8	0	((flow\$3 with control\$5) same stor\$5 same status same index\$5 same (flow\$5 with status)) and @ad<"20030718" and (709/233. ccls. or 710/29.ccls. or 710/33. ccls. or 710/36.ccls. or 711/200. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 16:50
S9	0	((flow\$3 with control\$5) same stor\$5 same status same index\$5 same (flow\$5 with status)) and @ad<"20030718" and ("710"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 16:50

S10	3	((flow with control\$5) same memory same status same index\$4 same (updat\$5 with (status or data or information or state)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 14:05
S11	1	((flow with control\$5) same memory same status same index\$4 same (updat\$5 with (status or data or information or state))) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 14:08
S12	3	((flow with control\$5) same (memory or storage) same status same index\$4 same (updat\$5 with (status or data or information or state))) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 14:07
S13	21	((flow with control\$5) same memory same status same index\$4 same ((updat\$5 or check\$4 or modif\$5 or chang\$5) with (status or data or information or state))) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 14:08
S14	0	((flow with control\$5) same memory same status same index\$4 same ((updat\$5 or check\$4 or modif\$5 or chang\$5) with (status or data or information or state))) and @ad<"20030718" and (710/29.ccls. or 710/33.ccls. or 710/36.ccls. or 709/233.ccls. or 711/200.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 14:09
S15	12	((flow with control\$5) same memory same status same index\$4 same ((updat\$5 or check\$4 or modif\$5 or chang\$5) near4 (status or data or information or state))) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 14:15
S46	15	(status with flow with control with change with no) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:10
S47	0	((status with flow with control with change with no) same compar\$4) and @ad<"20030718" and atm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:07
S48	0	((status with flow with control with unchang\$4) same compar\$4) and @ad<"20030718" and atm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:07

S49	1	(status with flow with control with change with no) and @ad<"20030718" and atm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:07
S51	6	(status with flow with control with change with no) and @ad<"20030718" and (flow adj control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:08
S52	108	(status same (flow with control) same ((change with no) or unchang\$4)) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:10
S53	50	((flow with control) same (status with ((change with no) or unchang\$4))) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:11
S54	2	((flow with control) same (status with ((change with no) or unchang\$4))) and @ad<"20030718" and atm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:12
S55	0	((flow with control) same (status with ((change with no) or unchang\$4))) and @ad<"20030718" and (710/29. ccls. or 710/33.ccls. or 710/36. ccls. or 709/233.ccls. or 711/200. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:13
S57	2	((flow with control) same (status with ((change with no) or unchang\$4))) and @ad<"20030718" and ("710"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:14
S58	5	((flow with control\$4) same ((status or state) with ((change with no) or unchang\$4))) and @ad<"20030718" and ("710"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:14
S59	5	((flow with control\$4) same ((status or state) with ((chang\$4 with no) or unchang\$4))) and @ad<"20030718" and ("710"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:14